

MATERIAL SAFETY DATA SHEET

ESPREE WHEEL MAGIC (NEW FORMULA)

1. PRODUCT AND COMPANY IDENTIFICATION

MSDS Number: 15616

Version Date: 8/10/01

Product Name: ESPREE WHEEL MAGIC (NEW FORMULA)

Product Use: Wheel polish

Synonyms: WM832, WM832-6PFD, WM744, WM747, WM 7128

Manufacturer

Blue Coral/Slick 50 Ltd.
5700 South Lee Road
Maple Heights, OH 44137
USA

Phone Numbers

Medical Emergency: 1-800-546-6040

Transportation Emergency (USA): 1-800-535-5053

Transportation Emergency (International):

1-352-323-3500 (Call Collect)

MSDS Assistance: 1-800-546-6227

Fax On Demand: 1-800-546-6227

Technical Assistance: 1-800-416-1600

Customer Service: Not applicable

Fax Number: 713-217-3181

Internet Address: www.MSDS.PZLQS.com

2. COMPONENT INFORMATION

Component	CAS No.	Weight Percent Range	Hazardous in Blend
WATER	7732-18-5	50 - 80	No
SURFACTANTS	MIXTURE	5 - 20	No
ISOPROPYL ALCOHOL	67-63-0	1 - 10	Yes
EB SOLVENT	112-34-5	1 - 10	Yes
CHELATING AGENT	TRADESECRET	1 - 10	No

This product is **HAZARDOUS** according to OSHA 29 CFR 1910.1200.

Hazards:

Flammable/Combustible X **Acute Toxin** X **Chronic Toxin** **Carcinogen**
Pressure **Reactive** **Exposure Limit** X **Target Organ** **Other**

Other: No information available

3. HAZARDS IDENTIFICATION

Emergency and Hazards Overview

CAUTION: MAY CAUSE EYE IRRITATION.

NFPA Ratings: **Health** 1 **Flammability** 2 **Reactivity** 0

Primary Route of Exposure: **Skin** X **Inhalation** **Eye**

Health Effect Information

Eye Contact: Avoid eye contact. May be irritating to the eyes upon direct contact.

Skin Contact: Avoid prolonged and repeated skin contact. Prolonged or repeated contact may result in slight skin irritation.

Inhalation: This product is not expected to pose an inhalation hazard under conditions of foreseeable use.

Ingestion: This product is regarded as having a low order of toxicity. Ingestion is expected to be relatively non-toxic unless aspiration occurs. If biphasic separation of this mixture occurs, the solvent phase may pose a hazard upon aspiration. Coughing, choking, and gagging are often noted at the time of aspiration.

Medical Conditions Aggravated by Exposure: None expected.

Other: No information available

4. FIRST AID INFORMATION

Eye Contact: Immediately flush eyes with large amounts of water and continue flushing until irritation subsides. If irritation persists, seek medical attention.

Skin Contact: No treatment is necessary under ordinary circumstances. Wash contaminated area thoroughly with soap and water. If redness or irritation occurs and persists, seek medical attention.

Inhalation: This material does not present any known inhalation hazard. No treatment is necessary under ordinary circumstances.

Ingestion: Do not induce vomiting due to aspiration hazard. If vomiting occurs lower head below knees to avoid aspiration. If victim exhibits signs of lung aspiration such as coughing or choking, seek immediate medical assistance.

Notes to Physician: No information available

Other: No information available

5. FIRE AND EXPLOSION INFORMATION

Flammable Properties

Flash Point: 117 F, 47.2 C

Test Method: ASTM D-93 (P.M.C.C.)

Flammable Limits in Air

Upper Percent: No data available

Lower Percent: No data available

Autoignition Temperature: No data available

Test Method: No information available

NFPA Classification: Class II combustible liquid

Extinguishing Media: Use dry chemical, foam, or carbon dioxide.

Fire Fighting Measures

Special Fire Fighting Procedures and Equipment: Water may be ineffective but can be used to cool containers exposed to heat or flame to prevent vapor pressure buildup and possible container rupture.

Unusual Fire and Explosion Conditions: Carbon monoxide, carbon dioxide, and other oxides may be generated as products of combustion. This product is a mixture of water and a water miscible alcohol, and does not present a significant flammability hazard when used by consumers.

Although the flash point of this product is below 150F, such consumer products are not considered combustible by the Consumer Products Safety Commission (CPSC).

Hazardous Combustion By-Products: No information available

MATERIAL SAFETY DATA SHEET

MSDS Number: 15616

ESPREE WHEEL MAGIC (NEW FORMULA)

Page 3 of 7

Other: No information available

6. ACCIDENTAL RELEASE MEASURES

Personnel Safeguards: Provide adequate ventilation during clean-up. Consult Health Effect Information in Section 3, Personal Protection Information in Section 8, Fire and Explosion Information in Section 5, and Stability and Reactivity Information in Section 10.

Regulatory Notifications: No notification required

Containment and Clean up: No special cleanup procedures are necessary. Do not allow spill to enter sewers or watercourses. Small spills may be picked up with absorbent material.

Other: No information available

7. HANDLING AND STORAGE INFORMATION

Handling: No special handling procedures are necessary.

Storage: Store in a cool, well ventilated area in closed containers away from heat, sparks, open flame or oxidizing materials. Do not transfer to unmarked containers.

Empty Container Warnings

Drums: Not applicable

Plastic: Do not reuse this container. Empty container may retain product residues.

Other: No information available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION INFORMATION

Exposure Limits and Guidelines

Component	CAS No.	Exposure Limit
ISOPROPYL ALCOHOL	67-63-0	OSHA - PEL: TWA 400 ppm ACGIH - TLV: TWA 400 ppm ACGIH - TLV: STEL 500 ppm

Personal Protective Equipment

Eye/Face Protection: Eye protection is not required under conditions of normal use. If material is handled such that it could be splashed into eyes, wear plastic face shield or splash-proof safety goggles.

Skin Protection: Skin protection is not required under conditions of normal use. For prolonged or repeated exposures, use impervious clothing (boots, gloves, aprons, etc.) over parts of the body subject to exposure.

Respiratory Protection: Respiratory protection is not required under conditions of normal use.

Personal Hygiene: Always wash hands and face with soap and water before eating, drinking, or smoking. Consumption of food and beverage should be avoided in work areas where this product is present.

Engineering Controls / Work Practices

Ventilation: General room ventilation is normally sufficient.

Other: No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear green solution	
Odor: Mint/pine fragrance	Vapor Pressure: > 1
Physical state: Liquid	Vapor Density (air=1): No data available
pH: 10.9 - 11.9	Percent Volatile by Volume: No data available
Boiling Point: 174.2 F, 79 C	Volatile Organic Content: No data available
Melting Point: No data available	Molecular Weight: No data available
Specific Gravity: 1.03 - 1.04	Average Carbon Number: No data available
Pour Point: No data available	Viscosity @ 100 F: Not applicable
	Viscosity @ 40 C: Not applicable
Solubility in Water: Soluble in water	
Octanol / Water Coefficient: Log K_{ow} = No data available	

10. STABILITY AND REACTIVITY INFORMATION

Chemical Stability: Stable

Conditions to Avoid: Keep away from heat, sparks, open flames and other ignition sources.

Incompatible Materials to Avoid: Strong oxidizers, strong acids. Strong bases.

Other: No information available

11. TOXICOLOGICAL INFORMATION

Primary Eye Irritation: No information available

Primary Skin Irritation: No information available

Acute Dermal Toxicity: No information available

Subacute Dermal Toxicity: No information available

Dermal Sensitization: No information available

Inhalation Toxicity: No information available

Inhalation Sensitization: No information available

Oral Toxicity: No information available

Mutagenicity: No information available

Carcinogenicity: No information available

Reproductive and Developmental Toxicity: No information available

Teratogenicity: No information available

Immunotoxicity: No information available

Neurotoxicity: No information available

MATERIAL SAFETY DATA SHEET

ESPREE WHEEL MAGIC (NEW FORMULA)

MSDS Number: 15616

Page 5 of 7

Other: No information available

12. ECOLOGICAL INFORMATION

Aquatic Toxicity: No information available

Terrestrial Toxicity: No information available

Chemical Fate and Transport: No information available

Other: No information available

13. DISPOSAL INFORMATION

Regulatory Information: Dispose of residual products and empty containers responsibly.

Waste Disposal Methods: Waste material may be landfilled or incinerated at an approved facility.

Other: No information available

14. TRANSPORTATION INFORMATION

U.S. Department of Transportation (DOT)

Highway / Rail (Bulk): NOT SHIPPED IN BULK CONTAINERS

Highway / Rail (Non-Bulk): Not Regulated

The DOT description is provided to assist in the proper shipping classification of this product and may not be suitable for all shipping descriptions.

International Information

Vessel: IMDG Regulated: X IMDG Not Regulated:

Air: ICAO Regulated: X ICAO Not Regulated:

Other: No information available

15. Regulatory Information

Regulatory Lists Searched: The components listed in Section 2 of this MSDS were compared to substances that appear on the following regulatory lists. Each list is numerically identified. See Regulatory Search Results below.

Health & Safety: 10 - IARC carcinogen, 11 - NTP carcinogen, 12 - OSHA carcinogen, 15 - ACGIH TLV, 16 - OSHA PEL, 17 - NIOSH exposure limit, 20 - US DOT Appendix A, Hazardous substances, 21 - USDOT Appendix B, Marine pollutants, 22 - FDA 21 CFR Total food additives, 23 - NFPA 49 or 325

Environmental: 30 - CAA 1990 Hazardous air pollutants, 31 - CAA Ozone depleters, 33 - CAA HON rule, 34 - CAA Toxic substance for accidental release prevention, 35 - CAA Volatile organic compounds (VOC's) in SOCMI, 41 - CERCLA / SARA Section 302 extremely hazardous substances, 42 - CERCLA / SARA Section 313 emissions reporting, 43 - CWA Hazardous substances, 44 - CWA Priority pollutants, 45 - CWA Toxic pollutants, 46 - EPA Proposed test rule for hazardous air pollutants, 47 - RCRA Basis for listing - Appendix VII, 48 - RCRA waste, 49 - SDWA - (S)MCLs

International: 50 - Canada - WHMIS Classification of substance, 54 - Mexico - Drinking water - ecological criteria, 55 - Mexico - Wastewater discharges, 56 - US -TSCA Section (12)(b) - export notification

MATERIAL SAFETY DATA SHEET

MSDS Number: 15616

ESPREE WHEEL MAGIC (NEW FORMULA)

Page 6 of 7

State Lists: 60 - CA - Proposition 65, 61 - FL - Substances, 62 - MI - Critical materials, 63 - MA - RTK, 64 - MA - Extraordinarily hazardous substances, 65 - MN - Hazardous substances, 66 - PA - RTK, 67 - NJ - RTK, 68 - NJ - Environmental hazardous substances, 69 - NJ - Special hazardous substances

Inventories: 80 - Canada - Domestic substances, 81 - European - EINECS, 82 - Japan - ENCS, 83 - Korea - Existing and evaluated chemical substances, 84 - US - TSCA

Regulatory Search Results:

EB SOLVENT : 23, 33, 35, 50, 56, 80, 81, 82, 83, 84

ISOPROPYL ALCOHOL: 15, 16, 17, 22, 23, 35, 42, 50, 56, 61, 63, 65, 66, 67, 68, 69, 80, 81, 82, 83, 84

WATER: 80, 81, 83, 84

U.S. TSCA Inventory: All components of this material are on the US TSCA Inventory.

SARA Section 313: Consumer products are not regulated under SARA, Title III, Section 313.

IARC: No information available

SARA 311 / 312 Categories

Acute: X **Chronic:** **Fire:** X **Pressure:** **Reactive:**

Not Regulated:

Canadian WHMIS Classification

Class B - Flammable and Combustible Material, Division 3, Combustible Liquid

Class D - Poisonous and infectious material, Division 2B, Toxic Material

European Union Classification

Hazard Symbols:

No classification recommended

Risk Phrases:

No classification recommended

Safety Phrases:

No classification recommended

Other: No information available

16. OTHER INFORMATION

Health and Environmental Label Language

Front Label:

CAUTION: MAY CAUSE EYE IRRITATION.

Read carefully other cautions on back.

Back Label:

CAUTION: Contains (insert irritant ingredient). PRECAUTIONARY MEASURES: Avoid contact with eyes. FIRST AID: In case of eye contact, flush eyes thoroughly with water. If irritation persists, seek medical attention.

KEEP OUT OF REACH OF CHILDREN.

MSDS Revisions

Previous Version Date: 6/25/01

Previous Version Information: Section 5 - Fire and Explosion Information, revised flash point.

MATERIAL SAFETY DATA SHEET

MSDS Number: 15616

ESPREE WHEEL MAGIC (NEW FORMULA)

Page 7 of 7

Other: No information available

Prepared By:

Pennzoil-Quaker State Company
Environmental, Safety, Health, & DOT Compliance
P. O. Box 2967
Houston, TX 77252-2967 USA

Disclaimer of Warranty: The information contained herein is based upon data and information available to us, and reflects our best professional judgement. This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, Pennzoil-Quaker State Company must rely upon the hazard evaluation of such components submitted by that product's manufacturer or importer. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The results to be obtained from the use thereof, or that any such use does not infringe any patent. Since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.